Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5318018".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/03/09 11:56
L2	2	"6126681".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/03/09 11:56
L3	. 19	("4302640"   "4316182"   "5057822"   "5300098"   "5300101"   "5300102"   "5320092"   "5324320"   "5405371"   "5626129"   "5706801"   "5785723"   "5865171"   "5881717"   "5950621").PN. OR ("6126681").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/03/09 11:56
S1	91	128/202.11.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/03/09 11:24
S2	26	("4344144" or "4796467" or "4846166" or "4914957" or "5245993" or "5289819" or "5318018" or "5477850" or "5860418" or "6245009" or "6425395" or "6435009").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/01/16 17:44
<b>S3</b>	5	"flight suit" tester	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/01/16 18:48
<b>S4</b>	9	"Pressure suit" tester	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/01/16 18:48
S5	2	"6820616".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/01 14:58
S7	16	("6805121" "4336590" "4230097" "5536232" "5199426" "4906990" "5318018").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/01 14:59
S8	172	128/202.11,202.19.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON <sup>-</sup>	2007/02/01 15:00
S10	2302	128/204.18,204.21,204.23.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/01 15:00
S12	480	128/204.29,205.11.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/01 15:01
S13	. 453	128/202.11-202.13.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/01 15:01
S14	283	128/201.19,206.212.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/01 15:04

		·				
S15	675	128/206.24,206.23.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/01 15:02
S16	820	128/202.22,205.26.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/01 15:02
S17	572	454/255,256.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/01 15:02
S18	175	600/19,20.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND .	ON	2007/02/01 15:02
S19	150	2/2.14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/01 15:02
S20	5493	S8 S10 S12 S13 S14 S15 S16 S17 S18 S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/01 15:03
S21	3754	S20 and (flight or pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/01 15:03
S22	758	128/201.19,206.21.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/01 15:04
S23	5786	S20 or S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/01 15:05
S24	3948	S23 and (flight or pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/01 15:05
S25	. 271	S23 and flight .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/01 15:05
S26	168	S23 and ("Pressure suit" or "G suit" or "G-suit" or "gravity suit" or "antigravity suit" or "anti-gravity suit" or "flight suit")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/01 15:07
S27	53	S23 and ("Pressure suit" or "G suit" or "G-suit" or "gravity suit" or "antigravity suit" or "anti-gravity suit" or "flight suit") and (test or tester)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/16 09:27
S29	21	(US-6820616-\$ or US-5318018-\$ or US-5536232-\$ or US-4906990-\$ or US-4914957-\$ or US-5289819-\$ or US-5860418-\$ or US-6245009-\$ or US-6425395-\$ or US-5245993-\$ or US-6435009-\$ or US-5477850-\$ or US-4230097-\$ or US-4796467-\$ or US-4336590-\$ or US-4344144-\$ or US-5199426-\$ or US-6805121-\$ or US-6450943-\$ or US-5649532-\$ or US-5314402-\$).did.	USPAT	AND	ON	2007/02/01 15:54

S30	61	two near (compressor or blower) same sensor same valve same pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 10:51
531	27	two near (compressor or blower) same sensor same valve same pressure and controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 10:53
532	.16	multiple near (compressor or blower) same sensor same valve same pressure and controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 11:07
S33		"6205798".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ÁND	ON	2007/02/22 11:07
S34	4	("6205798" or "6332327").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 11:41
S35	262	multiple near blower	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 11:41
S36	29	multiple near blower same valve	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 11:41
S37	0	multiple near blower same valve same sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 11:41
S38	7	(Pressure near tester) same (blower or compressor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 11:43
S39	205789	(Pressure) same (blower or compressor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 11:43
S40	455	(Pressure) same (blower or compressor) near multiple	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 11:44
S41	10	(Pressure) same (blower or compressor) near multiple same "flow sensor"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 11:50
<b>\$42</b>	. 0	(Pressure) same (blower) near multiple same "flow sensor"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 11:50
S43		(blower or fan) near multiple same "flow sensor"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 11:50

					1	
S44	42	(blower or fan) near "flow sensor"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 11:50
S45	334	(blower or fan) same "flow sensor" same valve	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 11:51
S46	0	(several or multiple or "more than one") near (blower or fan) same "flow sensor" same valve .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 11:51
S47	117	(blower or fan) same "flow sensor" same valve same controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 11:52
548	7	(blower or fan) same "flow sensor" same valve same controller same regulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 11:52
S49	7	(blower or fan) same "flow sensor" same valve same controller same regulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 13:08
S50	2	"5318018".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 13:13
S51	0	Pressure near Air near (Test or tester) and ("Two compressors" or "Two blowers")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 13:14
<b>S52</b>	891	Pressure near Air ("Two compressors" or "Two blowers")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 13:14
S53	71	Pressure near Air ("Two compressors" or "Two blowers") "flow sensor"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 13:15
S54	67	Pressure near Air ("Two compressors" or "Two blowers") "flow sensor" valve	US-PGPUB; USPAT; USOCR; EPO; JPO;	AND	ON	2007/02/22 13:15
S55	. 1	Pressure near Air ("Two compressors" or "Two blowers") "flow sensor" valve regulator	US-PGPUB; US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 13:19
S56	3231	73/40,40.7.ccis.	US-PGPUB; USPAT; USOCR; EPO; JPO;	AND	ON	2007/02/22 13:19
S60	1089	340/605.ccls.	DERWENT US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 13:20

	· · · · · · · · · · · · · · · · · · ·					
S61	3380	"pressure leakage"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 13:21
S62	1623	"pressure leakage" (test or method or tester)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 13:21
S63		"pressure leakage" near (test or method or tester)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 13:25
S64	4	blower "pressure tester"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 13:28
S65	296	(S60 or S56) (blower or compressor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 13:30
S66	85	(S60 or S56) (blower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 13:31
S67	. 0	(S60 or S56) (second near blower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 13:31
S68	38	(S60 or S56 or 454/255,256.ccls. or "128".clas.) (second near blower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/02/22 13:32
S69	49	(US-20050145245-\$ or US-20050154360-\$).did. or (US-6820616-\$ or US-5199426-\$ or US-5247926-\$ or US-5269295-\$ or US-5314402-\$ or US-4455685-\$ or US-6228019-\$ or US-4465250-\$ or US-4959047-\$ or US-5263477-\$ or US-5318018-\$ or US-5394563-\$ or US-5537686-\$ or US-5542447-\$ or US-6217506-\$ or US-6245009-\$ or US-6695762-\$ or US-4765193-\$ or US-5199423-\$ or US-4783205-\$ or US-4960119-\$ or US-5460175-\$ or US-5855762-\$ or US-4967602-\$ or US-4117552-\$ or US-5584073-\$).did. or (US-6108816-\$ or US-6292945-\$ or US-6334344-\$ or US-6422512-\$ or US-7141043-\$ or US-4254606-\$ or US-4383421-\$ or US-4295792-\$ or US-4566513-\$ or US-4877380-\$ or US-42999994-\$ or US-5187339-\$ or US-5327849-\$ or US-694915-\$ or US-4078842-\$ or US-4365728-\$ or US-4367206-\$ or US-4390305-\$ or US-4411133-\$ or US-4453893-\$ or US-4539016-\$).did.	US-PGPUB; USPAT	AND	ON	2007/03/08 16:15
S70	10	S69 and (test or trial or train or leak) and (compressor or blower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/03/08 17:02
S71	0	471/3,426.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/03/08 17:04
<b>S72</b>	576	417/3,426.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/03/08 17:04
S73	76	417/3,426.ccls. and (leak or leakage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/03/08 17:04

S74	74	417/3,426.ccls. and (leak or leakage) and (pressure or compressor or blower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/03/08 17:27
S75	2	"6126681".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/03/08 17:28

3/9/2007 11:59:15 AM C:\Documents and Settings\Abrandt\My Documents\EAST\Workspaces\10522721.wsp